

Your Workplace.
Your Style.

DETAIL
Oriented

S61 Safety Helmet
61WHBFG

SE3 Safety Glasses
SE3CAF

Chin Strap
NES42CB

Isotherm Cooling Vest
ISO2HY



Standard Series
Industrial Safety Helmet

THE
STANDARD
SERIES
with **FlexGen™** suspension


The Standard Series by Bullard takes style and comfort to a new level. A low-profile shell with a look workers prefer, Bullard's 3-Rib design, and comfort suspension define the Standard Series.

Lightweight and trim, the Standard style helmets feature a low center of gravity for exceptional balance.

Cap Style. Non-vented Design.

S61 Safety Helmet

- With its 4-point suspension and large brow pad, the S61 is ideal for the everyday work.
- High-density, polyethylene shell with rounded front design.
 - Low profile design offers sleek style.
 - FlexGen™ Ratchet suspension –Ratchet suspensions can be adjusted between hat sizes 6 1/2" - 8".
 - Features accessory slots for attaching a variety of accessories such as earmuffs and face protection, including those of other manufacturers.
 - Replaceable cotton brow pad is pillowed for maximum comfort. Velcro replacement brow pads are available in absorbent cotton, a cooling material, or a vinyl material.
 - One of the lightest helmets of its class.
 - ANSI/ISEA Classification Z89.1, Type I, Class E & G requirements,.
 - Singapore SS98 Certified, Malaysia SIRIM Certified.




S61 Safety Helmet




NES42CB
CHINSTRAP, NYLON, 2-POINT

ES3-DUO
CHINSTRAP, NYLON, 3-POINT

					
	White	Light Pink	Red	Chocolate Brown	Tan
Ordering Part Number	61WHBFG	61LPBFG	61RDBFG	61CBBFG	61TNBFG
					
	Orange	Hi-Viz Orange	Yellow	Hi-Viz Yellow	Hi-Viz Green
Ordering Part Number	61ORBFG	61HOBFG	61YLBFG	61HYBFG	61HGBFG
					
	Kelly Green	Forest Green	Navy	Kentucky Blue	Pacific Blue
Ordering Part Number	61KGBFG	61FGBFG	61NBBFG	61KBBFG	61PBBFG
					
	Sky Blue	Slate Blue	Gull Gray	Dove Gray	Black
Ordering Part Number	61SKBFG	61SLBFG	61GGBFG	61DGBFG	61BKBFG

 58 x 48 x 43 cm, 9kg
One carton
20 helmets

 122 x 102 x 183 cm, 163kg
16 cartons per pallet
320 helmets


 8 pallets in a 20ft container
2560 helmets



4-Point Ratchet Suspension

20 mm Nylon Crown Straps


Energy-absorbing.
Durable. Ventilated.



Pillowed. Vinyl Browpad

Comfort. Breathable. Hygienic.

Your Workplace. Your Style. Choice of Helmets



AboveView™



S61



S51




S62



S71

Modern Look. Ratchet System




- New Appearance.
- Matte Finish Surface.
- Aesthetic Design.

FlexGen™ Ratchet Suspension




COMFORT. STYLISH. SAFETY.

Smoother. Ratchet System




- Metal-free.
- Big Triangle Knob.
- Easy Adjustment.

One System fits all. Adjustable Sizing



Ratchet suspensions
can be adjusted
between helmet sizes
6 1/2" - 8" (52-64cm).



Front and Rear. Height Adjustment

Two-level of adjustment on height to better
allow the helmet suspension to sit on your
head comfortably.



As the inventor of the safety helmet,
Bullard has focused its efforts on saving
lives with high-quality safety products for
more than 120 years.

Designed for Bullard industrial safety
helmets, the FlexGen™ ratchet suspension
offers outstanding performance with all-
day comfort wear and a modern matte
finish surface with a triangle large knob
for a stylish look from the rear. The nape
swivel pad sits gently just below the bump
of the occipital bone, holding the helmet
securely onto your head.

More Comfortable. Nape Swivel Pad


Skeleton structure design provides optimal air circulation and avoids heat
build-up. The flexible pad is designed to move and sit according to the
contours of the user's head. Its ergonomic design reduces peak pressure
on the wearer's neck and prevents hair from being pulled.



- Snug-fit.
- Flexible.
- Stress Release.

Personal Hygiene. Nape Cover (Optional)

Extra comfort for Nape Swivel Pad.



Easily removable from the helmet,
which allows user to wash them at
any time and prevent bacteria
growth on the skin.

STANDARD SERIES MODEL S61 SPECIFICATIONS



SAFETY. SINCE 1898.™



Model S61

Cap Style. Non-vented Design.

With distinctive Bullard 3-rib trademark design, the S61 safety helmet sports a low center of gravity for exceptional balance. With its 4-point suspension and large brow pad, the S61 is ideal for the everyday work.

Standard

ANSI/ISEA Classification Z89.1, Type I,
Class E & G requirements
Singapore SS98 Certified
Malaysia SIRIM Certified

Country of origin

Made in the USA

Weight with suspension

340 grams

Dimensions

Width 220 mm
Length 275 mm
Height 154 mm

Shell Material

High Density Polyethylene (HDPE)

Headband Sizes

52 cm-64 cm (6.5"-8")

Points of Attachment

Four

Vertical Adjustments

2 front, 2 rear for a personal, secure fit

Available Suspension

Self-sizing Pinlock Suspension
FlexGen™ Ratchet Suspension

Crown Strap Material

Nylon

Crown Strap Width

2 cm

Brow Pad Material

Vinyl / Cotton

Replaceable Brow Pad

Yes

Accessory Slots

Yes

Chin Strap Attachment

Yes

Color

20 standard color.
Special colors are available upon request.



Optional Accessories

Nape Cover for FlexGen Suspension
Extra comfort for Nape Swivel Pad
Breathable, Soft and Hygienic

Velcro replacement brow pads are available in absorbent cotton, a cooling material, or a vinyl material.

Features accessory slots for attaching a variety of accessories such as earmuffs and face protection.

2-Point/3-Point Elastic/Non-elastic
Chinstrap

Logo Pad Printing

- Capability in up to eight different locations on the helmet.
- Logos may have up to six colors per location.

Scotchlite® Reflective Stripe



Warranty

2-year warranty

©2023 Bullard. All rights reserved.
FlexGen is the registered trademark of Bullard

Bullard Center
2421 Fortune Drive
Lexington, KY 40509 · USA
877-Bullard (285-5273)
Tel: +1 859 234 6616
Fax: +1 859 246 0243

Americas Operations
1898 Safety Way
Cynthiana, KY 41031 · USA
877-Bullard (285-5273)
Tel: +1 859 234 6616
Fax: +1 859-234 8987

Bullard GmbH
Dieselstrasse 8a
53424 Remagen · Germany
Tel: +49 2342 999980
Fax: +49 2642 9999829

Bullard Asia Pacific Pte. Ltd.
51 Changi Business Park Central 2
#03-04 The Signature
Singapore 486066
Tel: +65 6745 0556
Fax: +65 6797 0299

Bullard Technology Center
Darix Sarl
Chemin du Closel 3
1020 Renens · Switzerland
Tel: +41 21 515 2910



The Bullard three-rib design
is a registered trademark of
Bullard.

www.bullard.com

FlexGen™

Ratchet Suspension



FlexGen™ Ratchet Suspension

FlexGen™ Ratchet Suspension

Designed for Bullard industrial safety helmet, FlexGen™ ratchet suspension provides outstanding performance with all-day comfort wear. Modern matte finish surface with triangle large knob makes the helmet look stylish from the rear. The nape swivel pad sit gently just below the bump of the occipital bone, holding the helmet securely onto the head.

Headband Sizes

One system fits all. 52cm-64cm (6.5"-8")

Points of Attachment

Four

Vertical Adjustments

2 front, 2 rear for a personal, secure fit

Crown Strap Material

Nylon

Crown Strap Width

2 cm

Brow Pad Material

Large, absorbent, Vinyl brow pad
Absorbent Cotton brow pad or Polyester brow pad are also available

Nape Swivel Pad

Snug-fit, Flexible, Stress Release
Skeleton structure design provides optimal air circulation and avoids heat build-up. The flexible pad is designed to move and sit according to the contours of the user's head. Its ergonomic design reduces peak pressure on the wearer's neck and prevents hair from being pulled.

Brow Pad Replacement (Optional)

Velcro replacement brow pads are available in absorbent cotton material, a cooling material, and vinyl material

Nape Cover (Optional)

Breathable, Soft and Hygienic
Extra comfort for Nape Swivel Pad
Black and grey polyester mesh laminated with urethane foam and nylon with acrylic binder black loop tricot



©2021 Bullard. All rights reserved.
FlexGen is the registered trademark of Bullard

Bullard Center
2421 Fortune Drive
Lexington, KY 40509 · USA
877-Bullard (285-5273)
Tel: +1 859 234 6616
Fax: +1 859-246 0243

Americas Operations
1898 Safety Way
Cynthiana, KY 41031 · USA
877-Bullard (285-5273)
Tel: +1 859 234 6616
Fax: +1 859 234 8987

Bullard GmbH
Dieselstrasse 8a
53424 Remagen · Germany
Tel: +49 2342 999980
Fax: +49 2642 9999829

Bullard Asia Pacific Pte. Ltd.
51 Changi Business Park Central 2
#03-04 The Signature
Singapore 486066
Tel: +65 6745 0556
Fax: +65 6797 0299

Bullard Technology Center
Darix Sarl
Chemin du Closel 3
1020 Renens · Switzerland
Tel: +41 21 515 2910



The Bullard three-rib design
is a registered trademark of
Bullard.

www.bullard.com