



EVA represents the latest in cutting-edge Powered Air-Purifying Respirator (PAPR) technology and design. Offering workers a 1,000 Assigned Protection Factor and a comfortable and reliable respirator system, EVA was engineered with direct input from end users and experts from the field.

RELIABLE, EASY-TO-USE TECHNOLOGY

VISUAL FUEL GAUGE The easy-to-read fuel gauge displays remaining battery capacity at a glance. Wearers can check battery status at any time while using EVA.



ACTIVE FLOW TECHNOLOGY Another innovation from Bullard, Active Flow Technology automatically responds to a worker's need for more or less air flow. This intelligent system is continuously working to maintain constant air flow, regardless of filter type, hood type, filter loading, or battery capacity.

INTEGRATED ALARMS Two distinct audible alarms notify wearers of low battery and low air flow. These alarms are designed so the sound of the alarm travels through the breathing tube directly to the wearer's ear.

DURABILITY EVA is powered by a long-lasting 10,000-hour brushless motor. Unlike other motors that can quickly wear out, this durable brushless motor is designed for long-term reliable use.

SINGLE FILTER EVA offers a single filter for easy use. While other manufacturers' PAPRs may require up to three filters, EVA makes it simple, with a single easy-to-install filter.

FILTER LOCKING TAB EVA helps ensure positive filter installation with a single click. The filter locking tab notifies the user that the filter is in place with both a visual indication and audible click.



EVA Powered Air-Purifying Respirator

DESIGNED FOR COMFORT

EVA was uniquely designed for all-day worker comfort. Engineers studied the motions, actions, and requests from experts in the field to design the most comfortable and user-friendly PAPR on the market.

DISTINCTIVE ERGONOMIC DESIGN The streamlined form factor of EVA makes it lightweight, eliminates bulky corners that can dig into the wearer's back, and balances the unit's weight for maximum comfort.



SUPER QUIET OPERATION The ultimate in quiet operation, the EVA blower eliminates the hum and noise experienced with other PAPRs.



CONTOURED BELT This dual purpose belt incorporates the best features of both decon and comfort belts. Developed to offer both generous padding and easy decon, the contoured belt is made of closed-cell chemically resistant foam and features a contoured design for extra comfort. Vinyl belts are also available.



TWO-SPEED OPERATION EVA features a two-speed blower, allowing the user to choose more or less cooling and air flow.



EXPERTISE, PROTECTION, AND VERSATILITY

1,000 APF Bullard hoods are rated highest in the industry with regards to protection factors. Only Bullard provides up-to-date third party testing to customers, providing documentation that is scientifically valid and legally defensible.

MORE HOOD CHOICES With more hood choices than any other PAPR on the market, EVA can be paired with loose-fitting facepieces, hoods, and headband-free headtops.


A VARIETY OF USES EVA is NIOSH approved for use with CC20 Series and RT Series Hoods made from DuPont™ Tychem®, the GR50 Series Nomex grinding hood, the FAMB2 Series half mask, and the Spectrum Series® Full Facepiece, offering extreme versatility. Uses for EVA include pharmaceutical manufacturing, healthcare, painting, coatings, grinding, welding, and more.



Feature	Benefits
1,000 Assigned Protection Factor (APF)	Provides superior protection, as verified in an independent Laboratory Respirator Protection Level (LRPL) study.
Fuel Gauge	Easy-to-read visual battery capacity indicator.
Active Flow Technology	Helps maintain constant air flow. Reacts to the wearer's need for additional flow.
Two Integrated Alarms	Distinct audible alarms for both low battery and low air flow. Alarm sound travels through the breathing tube to the wearer's ear.
Brushless Motor	Durable, 10,000-hour motor for superior reliability.
Single Filter	Quick and easy installation. Lower consumable costs vs. blowers that require up to three filters.
Filter Locking Tab	Visual and audible indication of positive filter installation.
Ergonomic Design	Lightweight, sleek, and balanced. Offers superior comfort for all-day use.
Hood Choices	Choose from more than 15 hood styles, including loose-fitting facepieces, hoods, and headband-free headtops.

EVA OUTPERFORMS COMPETITORS IN AIR FLOW

PAPR Performance (Hood-Style Respirator)





Catalog Number Hood Systems*

EVA20LF2L	PAPR system, EVA blower, battery, charger, breathing tube, 20LF2L
EVA20LF2M	PAPR system, EVA blower, battery, charger, breathing tube, 20LF2M
EVA20TJ/EVA20TJT	PAPR system, EVA blower, battery, charger, breathing tube, 20TJ
EVA20TP/EVA20TPT	PAPR system, EVA blower, battery, charger, breathing tube, 20TP
EVA20TIC/EVA20TICT	PAPR system, EVA blower, battery, charger, breathing tube, 20TIC
EVA20TPC/ EVA20TPCT	PAPR system, EVA blower, battery, charger, breathing tube, 20TPC
EVA20SIC/EVA20SICT	PAPR system, EVA blower, battery, charger, breathing tube, 20SIC
EVA20TICS/EVA20TICST	PAPR system, EVA blower, battery, charger, breathing tube, 20TICS
EVA20TICH/EVA20TICHT	PAPR system, EVA blower, battery, charger, breathing tube, 20TICH
EVA20SICH/EVA20SICHT	PAPR system, EVA blower, battery, charger, breathing tube, 20SICH
EVART3/ EVART3T	PAPR system, EVA blower, battery, charger, breathing tube, RT3
EVART4/ EVART4T	PAPR system, EVA blower, battery, charger, breathing tube, RT4
EVAGR/ EVAGRHT	PAPR system, EVA blower, battery, charger, breathing tube, GRH
EVAPAN1	EVA20LF2L plus filter
EVAPAN2	EVAPAN1 - no charger

Full-Face Mask Systems*

EVASPECL	PAPR system, EVA blower, mask battery, charger, breathing tube, PASPECML
EVASPECS	PAPR system, EVA blower, mask battery, charger, breathing tube, PASPCS

Half-Face Mask Systems*

EVAFAML	PAPR system, EVA blower, mask battery, charger, breathing tube, FAM2L, Large
EVAFAMM	PAPR system, EVA blower, mask battery, charger, breathing tube, FAM2M, Medium
EVAFAMS	PAPR system, EVA blower, mask battery, charger, breathing tube, FAM2S, Small

Blower Assemblies*

EVA1	Blower Unit Only, EVA
EVA2	PAPR system, EVA blower, hood battery, charger, no filter
EVA3	PAPR system, EVA blower, hood battery, no charger, no filter
EVA4	EVA3, plus HE Filter
EVA5	PAPR system, EVA blower, mask battery, charger, no filter
EVA6	PAPR system, EVA blower, mask battery, no charger, no filter
EVA7	EVA6 plus HE filter

Replacement Batteries & Chargers

EVABAT1	Battery (black), EVA 7-8 hour for hoods
EVABAT2	Battery (green), EVA 7-8 hour for masks
EVASMC	Charger, EVA, single port
EVASMC2	Charger, EVA, single port analyzer
EVAGC	Charger, EVA, 6 port gang

Replacement Filter Cartridges

PAPRFC3	Filter, HEPA, EVA (6 pack)
PAPRFC4	Filter, OVAGHE, EVA (6 pack)
* PAPRFC5	Filter, AM/FM/MA/AG/HE (6 pack) NEW!
PAPRSC2	Shower cap, EVA HE (3 pack)
PAPRSC3	Shower cap, EVA OVAGHE (3 pack)
PAPRPF2	Pre-Filter, EVA OVAGHE (120/PK)
PAPRPFCOVER2	Pre-Filter retainer, EVA OVAHE (3/pack)

Replacement Breathing Tubes

PA1BTXL	Breathing tube assembly for hoods - extra long length
PA1BT	Breathing tube assembly for hoods - standard length
PA1BTXS	Breathing tube assembly for hoods - extra short length
PA20LFBTXL	Breathing tube assembly for loose-fitting facepieces - extra long length
PA20LFBT	Breathing tube assembly for loose-fitting facepieces - standard length
PA20LFBTXS	Breathing tube assembly for loose-fitting facepieces - extra short length
PA4BT	Breathing tube assembly for full facepiece - standard length
PAFAMBT	Breathing tube assembly for half mask
PAHBT	Breathing tube for T-Series Hoods - standard length
PAHBTXS	Breathing tube for T-Series Hoods - extra short length
PAHBTXL	Breathing tube for T-Series Hoods - extra long length

Replacement Parts & Accessories

EVABELT1	Belt, foam
EVABELT2	Belt, vinyl
EVABELT3	Belt, vinyl, Cam Lock Buckle
EVABELT4	Belt, FR, vinyl, Cam Lock Buckle
EVABKPK1	Back pack
EVAEXT1	Belt extender
PAPRSUSP1	PAPR suspenders

Replacement Parts & Accessories (continued)

EVALLKIT	Lever lock kit
PA1AFI	Air flow indicator
20NC	Chinstrap for DuPont™ Tychem® hoods
20LCL	Mylar lens covers (25/pack for CC20 Series DuPont™ Tychem® hoods)
RTLCL	Mylar lens covers (25/pack for RT Series DuPont™ Tychem® hoods)
MB1	Outer lens for GRH hood (10/pack) for GRH hood
LC	Mylar lens covers (25/pack) for Spectrum full facepiece
AFW45	Anti-fog lens wipes (10/pack) for Spectrum full facepiece
PAPRBAG	Vinyl duffel
PPEBAG	Rolling duffel

Replacement Masks

PASPECML	Replacement Spectrum full facepiece med/large
PASPCS	Replacement Spectrum full facepiece small

Replacement Loose-Fitting Facepieces Made from DuPont™ Tychem®

20LF2L	Loose-fitting facepiece large
20LF2M	Loose-fitting facepiece medium
20LF2S	Loose-fitting facepiece small

Replacement Hoods Made from DuPont™ Tychem® QC

20TJ/20TJT	Single bib with ratchet suspension
20TJN/20TJNT	Single bib with no suspension
20TJR/20TJRT	Single bib with ratchet suspension
20TP/20TPT	Single bib with ratchet suspension and solvent resistant lens
20TPN/20TPNT	Single bib with no suspension and solvent resistant lens
20TPR/20TPRT	Single bib with ratchet suspension and solvent resistant lens
20TIC/20TICT	Double bib with ratchet suspension
20TICN/20TICNT	Double bib with no suspension
20TICR/20TICRT	Double bib with ratchet suspension
20TPC/20TPCT	Double bib with ratchet suspension and solvent resistant lens
20TPCN/20TPCNT	Double bib with no suspension and solvent resistant lens
20TPCR/20TPCRT	Double bib with ratchet suspension and solvent resistant lens
20TICS/20TICST	Long Double bib with ratchet suspension and Taped Seams
20TICSN/20TICSNT	Long Double bib with no suspension and Taped Seams
20TICSR/20TICSR	Long Double bib with ratchet suspension and Taped Seams
20TICH/20TICHT	Double bib for use with hard hats
RT3/RT3T	Double bib for use without headband

Replacement Hoods Made from DuPont™ Tychem® SL (Saranex coated)

20SIC/20SICT	Double bib with ratchet suspension
20SICN/20SICNT	Double bib with no suspension
20SICR/20SICRT	Double bib with ratchet suspension
20SICH/20SICHT	Double bib for use with hard hats
20SICVH/20SICVHT	Double bib for use with hard hats (vinyl lens)
20SICV/20SICVT	Double bib with ratchet suspension (vinyl lens)
20SICVN/20SICVNT	Double bib with no suspension (vinyl lens)
20SICVR/20SICVRT	Double bib with ratchet suspension (vinyl lens)
RT4/RT4T	Double bib for use without headband

Replacement Suspensions for Hoods

20TG	Pinlock suspension
20RT	Ratchet suspension

Head Protection For Models 20TICH, 20SICH, 20SICVH, and GRH

C30R	Classic Series hard hat with six-point ratchet suspension
S51R	Standard Series hard hat with four-point ratchet suspension
RS6RC	Replacement six-point ratchet suspension
RS4RC	Replacement four-point ratchet suspension
ES42	Chinstrap for C30 and S51 hard hats

* Add DB suffix to part number for vinyl belt (example: EVA20LF2LDB)



Americas:

Bullard
1898 Safety Way
Cynthiana, KY 41031-9303 • USA
Toll-free within USA: 877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-234-8987

Europe:

Bullard GmbH
Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax: +49-2642 9999829

Asia-Pacific:

Bullard Asia Pacific Pte. Ltd.
LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176



©2014 Bullard. All rights reserved.

Spectrum Series® is a registered trademark of Bullard.
DuPont™ Tychem® is a registered trademark of E.I. du Pont de Nemours and Company.

8273 (0314)

www.bullard.com

The Perfect Choice for Healthcare Workers...

The EVA PAPR

The possibility of widespread airborne infection is increasing with growing reports of various influenza and infection outbreaks. The EVA PAPR provides excellent protection to healthcare professionals, reducing their risk of exposure to infections and airborne particles.



APPLICATIONS

- Pandemic Influenza
- Tuberculosis
- Airborne Precautions
- Autopsy
- First Receiver*

EVA PAPR FEATURES

- Visual Fuel Gauge
- Active Flow Technology
- Integrated Alarms for flow and battery
- Ergonomic design for superior comfort for all day use
- Lightweight, sleek, and balanced
- Easy to share by simply changing head tops using the quick attachment feature

LOOSE FITTING FACEPIECE FEATURES

- No fit testing required
- 150% more protection than N95 Mask
- Latex free, comfortable fit
- Accommodates facial hair, eyeglasses, and stethoscopes
- Quick-Attach Twist Lock connection makes donning easy
- Improves nonverbal communication with patients



* With DuPont™ Tychem® SL hood and Organic Vapor, Acid Gas, HEPA filter cartridge.

www.bullard.com



ORDERING INFORMATION

Catalog Number

Description

EVA1

Blower Unit Only, EVA



EVAPAN1

Pandemic Preparedness PAPR System, EVA, Blower, Battery, Charger, HE Filter, 20LF2L Loose Fitting Facepiece



EVAPAN2

Pandemic Preparedness PAPR System, EVA, Blower, Battery, No Charger, HE Filter, 20LF2L Loose Fitting Facepiece (For those desiring to use gang chargers)



PA20LFBT

Replacement breathing tube



20LF2L

Replacement facepiece large

20LF2M

Replacement facepiece medium



20LF2S

Replacement facepiece small

EVASMC

Charger, EVA, Single Port



EVASMC2

Charger, EVA, Single Port Analyzer



EVAGC

Charger, EVA, 6 Port Gang



PA1AFI

Replacement Air Flow Indicator



PAPRFC3

Filter, HEPA, EVA (6 per pack)



PAPRFC4

Filter, OVAGHE, EVA (6 per pack) 20SICVH/20SICVHT
Double bib for use with hard hats (vinyl lens)



Americas:

Bullard
1898 Safety Way
Cynthiana, KY 41031-9303 • USA
Toll-free within USA: 877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-234-8987

Europe:

Bullard GmbH
Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax: +49-2642 9999829

Asia-Pacific:

Bullard Asia Pacific Pte. Ltd.
LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176



©2014 Bullard. All rights reserved.
Dupont™ Tychem® is a registered trademark
of E.I. du Pont de Nemours and Company.

8528 (0614)



EVA Powered Air-Purifying Respirator Technical Specifications

**NIOSH Approvals:**

42 CFR Part 84
TC-21C-0836 (PAPRFC3/Hoods)
TC-23C-2510 (PAPRFC4/Hoods)
TC-23C-2886 (PAPRFC5/Hoods)
TC-21C-08444 (PAPRFC3/Spectrum Series®)
TC-23C-02512 (PAPRFC4/Spectrum Series®)
TC-21C-0846 (PAPRFC3/FAMB)
TC-23C-2511 (PAPRFC4/FAMB)
TC-21C-0940 (PAPRFC3/SparxLift)
TC-21C-0941 (PAPRFC3/SparxLift)

Assigned Protection Factor:

1,000 (with CC20, RT and GR50 Series double bib hoods)
1,000 with Spectrum Series® Full-Face Mask
50 with FAMB Series Half Mask
25 with Loose-Fitting Facepiece

Battery Technology:

Rechargeable Lithium Polymer, 4-16 hours run time
4 cells, 6300 mAh, 16.8V Peak, 14.8V nominal

Airflow:

200/240 lpm (low/high speeds) for hoods and 120/135 lpm for masks

Alarms:

Audible Low Battery and Low Flow
Audible High Temperature at 50° C

Warranty:

1 Year (Blower, Battery, Charger)

Operating Temperature:

23° F to 129° F
-5° C to 54° C

Storage Temperature:

23° F to 131° F
-5° C to 55° C

HE Filters**Part Number:**

PAPRFC3

Approvals:

High Efficiency Particulate

Packaging:

6 per box

Expiration/Shelf Life:

10 years (unopened) with proper storage conditions

OV/AG/HE Filters**Part Number:**

PAPRFC4

Approvals:

Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, and High Efficiency Particulates

Packaging:

6 per box

Expiration/Shelf Life:

5 years (unopened) with proper storage conditions

AM/FM/MA/AG/HE Filters**Part Number:**

PAPRFC5

Approvals:

Ammonia, Formaldehyde, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, and High Efficiency Particulates

Packaging:

6 per box

Expiration/Shelf Life:

5 years (unopened) with proper storage conditions

Blower Specifications:

Maximum of one filter or cartridge required
"On-board" battery compartment (no external battery cables to connect)
Filter locking tab for visual confirmation of correct installation
77dBA low voltage alarm
77dBA low flow alarm
Active Flow Technology (Mass Flow Sensor Feedback Loop)
User-selectable two-speed operation (7 CFM regular speed, 8.5 CFM high speed for hoods; 4.25 CFM regular speed, 4.75 CFM high speed for masks)
Three lengths available for breathing tubes



EVA Powered Air-Purifying Respirator Technical Specifications

Belt Specifications

Chemically resistant closed cell or vinyl/urethane
Adjustable for waist sizes between 28 inches and 60 inches (71 cm and 152 cm)
Belt extenders available
6.5 inches tall in lumbar region
Vinyl Belt Available

Charger Specifications

One-port "genius" charger with diagnostic capabilities
Six-port smart gang charger with trickle charge mode

CC20 Series Hoods

Fabric Material: Dupont™ Tychem® QC, Dupont™ Tychem® SL
Lens Material: Acetate, PETG
Headband/Suspension: 4-point Ratchet (standard), 4-point Pinlock (optional), or Hard Hat
Packaging: Tychem SL (5 per box), Tychem QC (10 per box)
ANSI Face Protection: 20TICH/20SICH provide limited face protection per ANSI/ISEA Z87.1 - 2010
ANSI Head Protection: 20TICH/20SICH provide ANSI/ISEA Z89.1 - 2009 head protection when worn with C30 or S51 Bullard Hard hats

20LF Series Loose-Fitting Facepieces

Fabric Material: Dupont™ Tychem® QC, Dupont™ Tychem® SL
Lens Material: Acetate, PETG
Headband/Suspension: 4-point Ratchet (standard), 4-point Pinlock (optional)
Packaging: Tychem SL (5 per box), Tychem QC (10 per box)

RT Series Hoods:

Fabric Material: Dupont™ Tychem® QC, Dupont™ Tychem® SL
Lens Material: Acetate
Packaging: Tychem SL (5 per box), Tychem QC (10 per box)

GR50 Series Hoods:

Fabric Material: Dupont™ Nomex®, FR Cotton
Lens Material: Polycarbonate
Headband/Suspension: 4-point Ratchet (standard), 4-point Pinlock (optional), or Hard Hat
Packaging: 1 per box
ANSI Face Protection: ANSI/ISEA Z87.1+ - 2010 impact face protection
ANSI Head Protection: ANSI/ISEA Z89.1 - 2009 head protection when worn with C30 or S51 Bullard Hard hats

FAMB Series Half Masks

Material: Silicone
Sizes: (3), Small, Medium, Large
Packaging: 1 per box

Spectrum® Series Full-Face Masks

Mask Material: Silicone
Lens Material: Polycarbonate
Sizes: (3), Small, Medium, Large
Packaging: 1 per box
ANSI Face Protection: ANSI/ISEA Z87.1+ - 2010 impact face protection

Warranty

1-year limited manufacturer warranty for original purchase from date of purchase

Americas:

Bullard
1898 Safety Way
Cynthiana, KY 41031-9303 • USA
Toll-free within USA: 877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-234-8987

Europe:

Bullard GmbH
Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax: +49-2642 9999829

Asia-Pacific:

Bullard Asia Pacific Pte. Ltd.
LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176




©2015 Bullard. All rights reserved.
Spectrum Series is a registered trademark of Bullard.
Dupont™ Tychem® and Dupont™ Nomex® are registered
trademarks of E.I. DuPont de Nemours & Company.



For Hazardous Locations

Combining the cutting-edge technology and ergonomic design of the EVA, the EVAHL Powered Air-Purifying Respirator (PAPR) offers workers greater protection in Hazardous Locations.



All the Great EVA Features... Now HazLoc Rated*

For Class I, Division 2, Groups A, B, C, D T6
(Gases and Vapors)

Class II, Division 2, Groups F, G (Dusts)

Class III (Fibers or Flyings)

Simple

- One Button Operation
- Choice of Two Air Speeds
- Single Filter Design

Safe

- Active Flow Technology Responds to Air Flow Conditions
- 1,000 Assigned Protection Factor (APF)
Independent, 3rd Party Documentation
- Dual Alarms for Low Flow and Low Battery

Dependable

- Visual Fuel Gauge
- 10X the Life of Most Brush Motors
- Genius Charger Compatible



*CSA International Certificate 2510928 per ANSI/ISA 12.12.01-2007



www.bullard.com



EVAHL Ordering Information

Item	Description
Systems*: Including blower, belt, battery, breathing tube, headtop, and charger.	
EVAHL20FL	20FL Loose Fitting Facepiece Large
EVAHL20LFM	20LFM Loose Fitting Facepiece Medium
EVAHL20LF2L	20LF2L Loose Fitting Facepiece Narrow Style Large
EVAHL20LF2M	20LF2M Loose Fitting Facepiece Narrow Style Medium
EVAHL20LF2S	20LF2S Loose Fitting Facepiece Narrow Style Small
EVAHL20TJT	20TJT Single Bib Hood, Ratchet Suspension
EVAHL20TICT	20TICT Double Bib Hood, Ratchet Suspension
EVAHL20SICT	20SICT Double Bib Saranex Hood, Ratchet Suspension
EVAHL20TICHT	20TICHT Double Bib Hood, S51 Hard Hat, Ratchet
EVAHL20SICHT	20SICHT Double Bib Hood, S51 Hard Hat, Ratchet
EVAHLRT1T	RT1T Double Bib Suspension-Free Hood, Inflatable Cuff
EVAHLRT2T	RT2T Double Bib Suspension-Free Hood, Inflatable Cuff
EVAHLRT3T	RT3T Double Bib Suspension-Free Hood, Sport Cuff
EVAHLRT4T	RT4T Double Bib Suspension-Free Hood, Sport Cuff

*Add DB suffix for systems with vinyl decon belt

Blower Assemblies

EVAHL1	Blower Only
EVAHL2	Blower, Belt, EVAHLBAT1 Battery, Charger
EVAHL3	Blower, Belt, EVAHLBAT1 Battery
EVAHL4	Blower, Belt, EVAHLBAT1 Battery, HE Filter

Filters

PAPRFC3	Filter for HEPA, Package of 6
PAPRFC4	Filter for OV, CL, CD, SD, HC, HF, HE, Package of 6
PAPRSC2	Shower Cap, HE (3 pack)
PAPRSC3	Shower Cap (OVAGHE 3 pack)
PAPRPF2	Pre-Filter OVAGHE (120/pack)
PAPRPFCOVER2	Pre-Filter Retainer, OVAGHE (3/pack)

Chargers

EVAHLSMC	Single Port
EVAHLGC	Six-Port
EVASMC2	Evaluator Charger (single port)

Battery

EVAHLBAT1	Battery (black) for use with hoods
-----------	------------------------------------

Accessories

EVABELT1	Closed Cell Foam Comfort/Decon Combo Belt
EVABELT2	Vinyl Decon Belt
PAPRSUSP1	Suspenders
EVAEXT1	Belt Extender
PAPRSUSP1	Suspenders
EVALLKIT	Lever Lock Kit
PAIAFI	Air Flow Indicator
20NC	Chinstrap for Tychem Hoods
20LCL	Mylar Lens Covers (25/pack) for CC20 Series Hoods
RTLC	Mylar Lens Covers (25/pack) for RT Series Hoods
PAPRBAG	Vinyl Duffel
PPEBAG	Rolling Duffel

Item	Description
Replacement Dupont™ Tychem® QC Loose Fitting Facepieces	
20FL	Loose Fitting Facepiece Large
20LFM	Loose Fitting Facepiece Medium
20LF2L	Loose Fitting Facepiece Large, Narrow Style
20LF2M	Loose Fitting Facepiece Medium, Narrow Style
20LF2S	Loose Fitting Facepiece Small, Narrow Style

Replacement Dupont Tychem QC Hoods (clamp connector style/threaded connector style)

20TJ/20TJT	Single Bib Hood with ratchet suspension
20TJN/20TJNT	Single Bib Hood, no suspension
20TP/20TPT	Single Bib Hood, Solvent Resistant Lens, with ratchet suspension
20TPN/20TPNT	Single Bib Hood, Solvent Resistant Lens, no suspension
20TIC/20TICT	Double Bib Hood with ratchet suspension
20TICN/20TICNT	Double Bib Hood, no suspension
20TPC/20TPCT	Double Bib Hood, Solvent Resistant Lens, with ratchet suspension
20TPCN/20TPCNT	Double Bib Hood, Solvent Resistant Lens, no suspension
20TICS/20TICST	Double Bib Hood with ratchet suspension, sealed seams
20TICSN/20TICSNT	Double Bib Hood, no suspension, sealed seams
20TICH/20TICHT	Double Bib Hood with ratchet suspension, hard hat compatible
RT1/RT1T	Double Bib Hood, Oversized Lens, Inflatable Neck Cuff
RT3/RT3T	Double Bib Hood, Oversized Lens, Sport Neck Cuff
RT4/RT4T	Double Bib Hood, Oversized Lens, Sport Neck Cuff

Replacement Dupont Tychem SL (Saranex coated) Hoods with sealed seams

20SIC/20SICT	Double Bib Hood with ratchet suspension
20SICN/20SICNT	Double Bib Hood, no suspension
20SICH/20SICHT	Double Bib Hood with ratchet suspension, hard hat compatible
20SICVH/20SICVHT	Double Bib Hood with ratchet suspension, Vinyl Lens, hard hat compatible
20SICV/20SICVT	Double Bib Hood, Vinyl Lens with ratchet suspension
20SICVN/20SICVNT	Double Bib Hood, Vinyl Lens, no suspension

Replacement Suspensions for Hoods

20TG	Pinlock Suspension
20RT	Ratchet Suspension

Head Protection for Models (20TICH/20TICHT, 20SICH/20SICHT, 20SICVH/20SICVHT)

C30R	Classic Series Hard Hat with six-point ratchet suspension
S51R	Standard Series Hard Hat with four-point ratchet suspension
RS6RC	Replacement six-point ratchet suspension
RS4RC	Replacement four-point ratchet suspension
ES42	Chinstrap for C30 and S51 hard hats

Breathing Tubes for use with T-Series Hoods

PAHBT	Breathing Tube, Standard Length
PAHBTXS	Breathing Tube, Extra Short
PAHBTXL	Breathing Tube, Extra Long

Breathing Tubes for use with Clamp Style Hoods

PA1BT	Breathing Tube, Standard Length
PA1BTXS	Breathing Tube, Extra Short
PA1BTXL	Breathing Tube, Extra Long



EVAHL Powered Air Purifying Respirator Bid Specifications

CSA Hazardous Locations Approvals

Class I, Division 2, Groups A, B, C, D T6
Class II, Division 2, Groups F, G
Class III
Certificate 2510928

Blower Specifications

- NIOSH-approved
- Single filter design HE and OVAGHE
- "On-board" battery (no external cables)
- Filter locking tab for visual confirmation of correct installation
- 77dBA low battery alarm
- 77dBA low flow alarm
- Active Flow Technology (Mass Flow Sensor Feedback Loop)
- User-selectable two-speed operation:
 - 7.0 CFM/200 LPM
 - 8.5 CFM/240 LPM
- Three lengths available for breathing tubes



Battery Specifications

- Lithium Polymer technology
- Fuel gauge to visually indicate remaining capacity
- 4-12 hours of run time on a single battery

Belt Specifications

- Chemically resistant closed cell or vinyl
- Adjustable for waist sizes between 28-inches and 60-inches
- Belt extenders available
- 6.5-inches tall in lumbar region

Charger Specifications

- One-port smart charger with trickle charge mode and optional diagnostics
- Six-port smart gang charger with trickle charge mode

Hood Specifications

- Independent, third party, 1,000 Assigned Protection Factor (APF) available
- Minimum 105 square inches in the viewing lens
- Single- and double-bib hoods available
- Acetate, polyester and PVC lens available
- Loose-fitting facepieces available
- Tychem® QC and Tychem® SL hoods available
- Pinlock and ratchet suspensions available

Warranty

1 year limited manufacturer warranty for original purchaser from date of purchase

Americas:
Bullard
1898 Safety Way
Cynthiana, KY 41031-9303 • USA
Toll-free within USA: 877-BULLARD (285-5273)
Tel: +1-859-234-6616
Fax: +1-859-234-8987

Europe:
Bullard GmbH
Lilienthalstrasse 12
53424 Remagen • Germany
Tel: +49-2642 999980
Fax: +49-2642 9999829

Asia-Pacific:
Bullard Asia Pacific Pte. Ltd.
LHK Building
701, Sims Drive, #04-03
Singapore 387383
Tel: +65-6745-0556
Fax: +65-6745-5176



©2012 Bullard. All rights reserved.
DuPont™ Tychem® is a registered trademark of
DuPont Company