

# SPECTRUM

## VISIBILITY & PROTECTION

With its bi-material frame and adjustable strap, Spectrum offers superior protection and adaptability. Available in two sizes, Spectrum is a versatile product with different frame types and lens coatings to provide a solution for every company, regardless of their specific work environment. Its sporty design and optimised ergonomics also ensure greater acceptance for enhanced safety and productivity.

105 G

- + PC/TPR CO-INJECTED FRAME FOR OPTIMUM COMFORT
- + MULTIPLE COATINGS AND SIZES AVAILABLE
- + SOFT GASKET TO FIT MOST FACE STRUCTURES
- + OPTIMAL PANORAMIC VISION



### TECHNOLOGIES

CSP  
 PLATINUM  
 PLATINUM LITE

### VERSIONS



SPECTN10W



SPECTN20W



SPECTN11W

## SPECTRUM

| USE                                                                              | VERSION                                                                                  | REFERENCE                                                                                   | LENS MARKING                                                                                       | FRAME MARKING                                                                                                       | COATING                                                                                      | STANDARD              |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------|
|  |  VENTED |  SPECTN10W |  UL1,2 DT 1 KN C€ | 16321  UL1,2 GL3 DT 1-M 3 6 4 C€   |  PLATINUM | EN ISO 16321-1 - UKCA |
|  |  SEALED |  SPECTN11W |  UL1,2 DT 1 KN C€ | 16321  UL1,2 GL3 DT 1-M 3 6 4 5 C€ |  PLATINUM | EN ISO 16321-1 - UKCA |
|  |  VENTED |  SPECTN20W |  GL3 DT 1 KN C€   | 16321  UL1,2 GL3 DT 1-M 3 6 4 C€   |  PLATINUM | EN ISO 16321-1 - UKCA |

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO C€ STANDARDS WILL BE SENT ON REQUEST.

## PACKAGING &amp; EAN13 CODE

| SINGLE:<br>Size: 36 x 18 x 7 mm | INNER BOX:<br>Size: 34x18x11 cm<br>Weight: 0.001 kg | OUTER PACK:<br>Size: 58 x 38 x 30 cm<br>Weight: 7.2 kg |
|---------------------------------|-----------------------------------------------------|--------------------------------------------------------|
| 3660740019938                   | 3660740119935 -5 pcs                                | 3660740219932 -40 pcs                                  |
| 3660740019945                   | 3660740119942 -5 pcs                                | 3660740219949 -40 pcs                                  |
| 3660740019990                   | 3660740119997 -5 pcs                                | 3660740219994 -40 pcs                                  |
| CUSTOM CODE: 9004901000         |                                                     |                                                        |

## GENERAL SPECIFICATIONS

|       |                        |          |                             |
|-------|------------------------|----------|-----------------------------|
| LENS  | POLYCARBONATE - 2.5 MM | FOAM     | SBR                         |
| CURVE | 5 - SLIGHTLY CURVED    | STRAP    | POLYESTER / SPANDEX - 250MM |
| FRAME | PC/TPR                 | OPTIONAL |                             |

KNOW MORE  
ABOUT  
MARKINGS:

OR SCAN:

## CLEANING &amp; STORAGE

**CLEANING:** The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

**STORAGE:** All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET : 25-11-2024

bolle-safety.com

Europe Headquarters  
34 rue de la Soie  
69100 Villeurbanne  
France  
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland  
Unit C83 - Barwell Business Park  
Leatherhead Road - Chessington  
Surrey - KT9 2NY - UK  
P : 00 44 (0)208 391 4700

USA Office  
2810 Caribou Court, Suite 160  
Carlsbad, CA 92010  
United States of America  
P : 800 222 6553

Asia-Pacific Office  
32-40 Fairchild Street  
Heatherton VIC 3202  
Australia  
P : 1300 138 098

THE PPE EYEWEAR  
SPECIALISTS

## PACKAGING

ECO-  
POLYBAG

Available on all Bollé Safety's eyewear  
(except B-Line: 50% recycled)



100%  
RECYCLED



100%  
RECYCLABLE



## PRODUCT



100%

OF RENEWABLE ENERGY IN  
THE PRODUCTION PROCESS

**0.544**  
**kgCO<sub>2</sub>e EMISSIONS**  
FOR A FULL PRODUCT LIFE CYCLE

**65.6%**  
**CO<sub>2</sub> REDUCTION**  
VS THE SAME STANDARD PRODUCT

SOURCES : ECOINVENT V3.8 (01/07/2024)

\*8.7% reduction thanks to ECO-POLYBAG for 10 units in non-FSC-certified cardboard packaging compared with standard polybag

\*\*27.8% reduction thanks to ECO-PACK compared to standard inner packaging in a non-FSC cardboard.