




LIGHT PLUS 5

HARNESS

DATASHEET

Product



Description

- Dorsal and sternal fall arrest anchorage.
- Dorsal ring with built-in extension strap.
- Metal sternal fall arrest anchorage (double A/2).
- Zinc-plated steel manual adjustment buckles with high resistance to the 120 hour salt test, against 72 hours required by the standard.
- Adjustable shoulder, chest and leg straps.
- Two-colour construction, for a better differentiation of the upper and lower part.
- Plastic protections at the ends of the straps.
- NFC Ready Chip: Built-in chip for product traceability, status and revision.

CHARACTERISTICS

General characteristics	Norma	EN 361		
	Capacity to use	140kg		
	Size	Universal		
	Weight	1380g		
	Tape width	45mm		
	Shelf life	10 years of use + 2 years of storage		
Measures	Size	Leg	Waist	Height
	Universal	30-95cm	-	150-200cm
Materials	Component	Material		
	Tape	Polyester		
	Thread	Polyamide		
	Rings	Steel		
	Manually adjustable buckles	Galvanised steel		

USES

Hitching points						
	LIGHT PLUS 1	-	●	-	-	-
	LIGHT PLUS 2 / 3 / 4 / 5	●	●	-	-	-
	LIGHT PLUS 11	●	●	●	●	-
	LIGHT PLUS 14	●	●	-	-	●
	LIGHT PLUS P1	-	-	●	-	-