

# Z-Link® Respirator

Multi-purpose Respiratory Protection



The Z-Link® is the most versatile multi-purpose respirator on the market, designed to be resilient in harsh industrial applications, while also practical to meet the demands of healthcare and life sciences settings. The Z-Link has been created with your comfort and functionality in mind, ensuring no matter where you're working, you'll be protected for your life's best moments.

Visibility has been at the forefront of the Z-Link's design, boasting a large visor that enables you to see with exceptional downward and peripheral vision. This system also combines with a visor that hinges open so you can easily communicate with your team, as and when necessary.

Fitted with a padded headliner and head suspension system, the Z-Link's weight is evenly distributed, relieving you of aches and strains on your neck to enhance your experience of comfort. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on your job at hand. The Z-Link is everything you need in a respirator.

The Z-Link is certified to the standards below:

**NIOSH**  
APPROVED  
PAPR & SAR TYPE C

**ANSI**  
S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.  
Z89.1  
HARD HAT PROTECTION  
Type 1 Class G  
Z87+  
EYE & FACE PROTECTION

**SEI**  
Certified Model  
Modèle certifié  
CSA Z94.3-15  
EYE & FACE PROTECTION  
Class 7D Respirator Facepiece  
PROTECTION DES YEUX ET DU VISAGE  
Masque respiratoire classe 7D



**Superior Comfort**  
The fully adjustable Comfort-Link™ fit system allows for total control of your sizing through supportive padding and the adjustable 360° head band and ratchet system.

Visor hinges open for easy communication with team members (outside of respiratory hazards). ■

■ Optimum vision and high velocity impact protection with large optically-clear safety lens (replaceable spare part). Choice of 5 anti-fog and scratch resistant EN166 lenses: Premium Clear, Green Tint (Shade 5), Yellow Tint, Black Tint, and Mirror Tint.

Air flow and distribution is fully adjustable with the air deflector system to suit your personal preference. ■

■ ANSI Z89.1 certified head protection.

■ Padded interior with adjustable ratchet system ensures a perfect customized fit that supports movement, increasing comfort and productivity.

Fixed jaw ensures secure cape attachment. ■

■ Three cape materials available: Tychem® 2000, Tychem® 4000 or Zytex® FR.

Vision-Link™ light mount point. ■



Visor shown open for marketing purposes only.  
Do not open your visor in the work environment.



# Z-Link+® Respirator

Diverse Functionality



The Z-Link+® has been designed to give you all the freedom and comfort that you receive with the Z-Link but extends the respirator's capabilities, giving you eye protection so you can weld without the need for additional systems.

The Z-Link+ weld visor clips on directly to your main visor so you can seamlessly weld with optically clear vision, then lift up the visor to check welds and instantly begin grinding again. With the large GVS-RPB® ADF lens with a 1/1/1/2 optical quality rating, this guarantees uniform shading and distortion free vision, while allowing you to work safely and more comfortably for longer across different angles.

The Z-Link+ is certified to the standards below:

**NIOSH**  
APPROVED  
PAPR & SAR TYPE C

**ANSI**  
S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.  
Z89.1  
HARD HAT PROTECTION  
Type 1 Class G  
Z87+  
EYE & FACE PROTECTION  
Z87W  
WELDING EYE PROTECTION

**SEI**  
Certified Model  
Modèle certifié  
CSA Z94.3-15  
EYE & FACE PROTECTION  
Class 7D Respirator Facepiece  
PROTECTION DES YEUX ET DU VISAGE  
Masque respiratoire classe 7D



## Removable Welding Visor

The Z-Link+ weld visor clips directly onto your main visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of grinding the visor is easily removed at the hinge points.

The weld visor can be easily removed for extended periods where just grinding is required. ■

■ Large welding auto darkening filter with a 1/1/1/2 rating. Variable auto darkening lens (shades 3, 5, or 9-13). Replaceable impact and ADF lenses for ease of maintenance.

■ Z-Link+ weld visor attaches directly onto to the main grinding visor, enabling you to seamlessly switch from welding to grinding while maintaining respiratory protection.

The Z-Link+ weld visor weighs only 13.8oz (390g) including ADF. ■





# Z-Link® Radiant Heat Respirator

## Heat Defense



The Radiant Heat kit transforms your Z-Link® respirator into a complete protective system for high heat environments. Utilizing the Z-Link headtop, experience unrivaled comfort as heat is deflected away from you and air continuously circulates throughout the headtop, so you can work safer for longer.

The Radiant Heat kit features a large, gold coated visor that reflects heat off you, keeping your body temperature down, while allowing you to see all of your environment with an uncompromised field of view. With flame resistant and reflective materials this protects you from sparks and splashes while providing additional relief from the heat.

Enhance your experience of safety and productivity in high heat environments by using protection that revolutionizes the way you work, with the Z-Link Radiant Heat.

The Z-Link Radiant Heat is certified to the standards below:

**NIOSH**  
APPROVED  
PAPR & SAR TYPE C

**ANSI**  
S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.  
Z89.1  
HARD HAT PROTECTION  
Type 1 Class G  
Z87+  
EYE & FACE PROTECTION

**SEI**  
Certified Model  
Modèle certifié  
CSA Z94.3-15  
EYE & FACE PROTECTION  
Class 7D Respirator Facepiece  
PROTECTION DES YEUX ET DU VISAGE  
Masque respiratoire classe 7D

Gold coated visor reflects radiant heat, minimizing heat transfer for increased comfort while ensuring eye protection. Visor options include anti-scratch gold coated (pictured), anti-scratch IR5 gold coated, and IR5.

Large visor lift tab enables users to easily raise and lower the visor while wearing gloves.

Air flow is dispersed throughout your breathe zone, as well as over the head, neck, and body to aid in cooling.

Integrated hard hat protection.

The Aluminized fabric is flame resistant and protects the skin from sparks, splashes and radiant heat. Manufactured from Newtex Z-Flex O-310 Aluminized FR O-PAN/Aramid fabric.

Clip-on visor requires no tools for easy detachment and replacement.

Secured cape ensures the hood moves with you for a greater range of movement.

Aluminized breathing tube cover available to increase the life of the breathing tube.

### Heat Reflection

The gold coated visor reflects radiant heat away from you, minimising heat transfer while ensuring your eyes are protected.











# Z-Link® Respirator









Multi-purpose Respiratory Protection



Z-Link Headtops

GVS Part #		Description	Certifications
16-010-31		<b>Z-Link Respirator - Zytect® FR Chin Seal</b> Package also includes: ■ Safety lens. <i>Z-Link+ weld visor with ADF available - page 24.</i>	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-010-12		<b>Z-Link Respirator - Tychem® 2000 Face Seal</b> Package also includes: ■ Safety lens.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-010-11		<b>Z-Link Respirator - Zytect® FR Face Seal</b> Package also includes: ■ Safety lens. <i>Z-Link+ weld visor with ADF available - page 24.</i>	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-010-23		<b>Z-Link Respirator - Tychem® 4000 Shoulder Cape</b> Package also includes: ■ Safety lens.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-010-21		<b>Z-Link Respirator - Zytect® FR Shoulder Cape</b> Package also includes: ■ Safety lens. <i>Z-Link+ weld visor with ADF available - page 24.</i>	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-010-24		<b>Z-Link Radiant Heat Respirator</b> Package also includes: ■ Safety lens ■ Aluminized shoulder cape, top, rear and breathing tube cover. <i>Lens available in three options, sold separately - page 24.</i>	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15

Z-Link SAR Packages *Please visit [gvs-rpb.com](https://gvs-rpb.com) for more information about other package options available.*

GVS Part #		Description	Certifications
16-015-11		<b>Z-Link Respirator with Zytect® FR Face Seal and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-015-12		<b>Z-Link Respirator with Tychem® 2000 Face Seal and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-015-21		<b>Z-Link Respirator with Zytect® FR Shoulder Cape and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-015-23		<b>Z-Link Respirator with Tychem® 4000 Shoulder Cape and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-015-31		<b>Z-Link Respirator with Zytect® FR Chin Seal and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-071-21		<b>Z-Link+ Respirator with Weld Visor, Zytect® FR Shoulder Cape and Constant Flow Valve</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-075-21		<b>Z-Link+ Respirator with Weld Visor, Zytect® FR Shoulder Cape and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-0061		<b>Z-Link Radiant Heat Respirator with Gold Visor and C40™ Climate Control Device</b> Package also includes: ■ Safety lens ■ SAR breathing tube ■ Aluminized shoulder cape, top cover, rear cover and breathing tube cover.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15








\*Only in conjunction with #18-533 earmuffs.  
†Only in conjunction with #16-670 Z-Link+ weld visor.

# Z-Link® Respirator






## Multi-purpose Respiratory Protection



**Z-Link PAPR Packages** Please visit [gvs-rpb.com](https://gvs-rpb.com) for more information about other package options available.

GVS Part #	Description	Certifications
16-0011	 <b>Z-Link Respirator with Zytac® FR Face Seal and PX5® PAPR with OV/AG/HE Cartridge</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-0012	 <b>Z-Link Respirator with Zytac® FR Shoulder Cape and PX5® PAPR with OV/AG/HE Cartridge</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-0021	 <b>Z-Link+ Respirator with Weld Visor, Zytac® FR Shoulder Cape and PX5® PAPR with Multi-gas Cartridge</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-0028	 <b>Z-Link Respirator with Tychem® 4000 Shoulder Cape and PX5® PAPR with Multi-gas Cartridge</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-11-FR	 <b>Z-Link Respirator with Zytac® FR Face Seal and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-12	 <b>Z-Link Respirator with Tychem® 4000 Face Seal and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-21-FR	 <b>Z-Link Respirator with Zytac® FR Shoulder Cape and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15

**Z-Link PAPR Packages** Please visit [gvs-rpb.com](https://gvs-rpb.com) for more information about other package options available.

GVS Part #	Description	Certifications
16-018-23	 <b>Z-Link Respirator with Tychem® 4000 Shoulder Cape and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-24-GT	 <b>Z-Link Radiant Heat Respirator with Gold Visor and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube</li><li>■ Aluminized shoulder cape, top, rear and breathing tube cover.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-31-FR	 <b>Z-Link Respirator with Zytac® FR Chin Seal and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-078-11-FR	 <b>Z-Link+ Respirator with Weld Visor, Zytac® FR Face Seal and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-078-21-FR	 <b>Z-Link+ Respirator with Weld Visor, Zytac® FR Shoulder Cape and PX5® PAPR</b> Package also includes: <ul style="list-style-type: none"><li>■ Safety lens</li><li>■ PAPR breathing tube.</li></ul>	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15

\*Only in conjunction with #18-533 earmuffs.



















†Only in conjunction with #16-670 Z-Link+ weld visor.

# Z-Link® Respirator




















Multi-purpose Respiratory Protection



Z-Link Accessories

GVS Part #		Description	Certifications
04-852		<b>Tychem® Breathing Tube Cover</b> <i>Breathing tube not included.</i>	
04-854		<b>FR Breathing Tube Cover</b> <i>Breathing tube not included.</i>	
04-855		<b>Aluminized Breathing Tube Cover</b> <i>Breathing tube not included.</i>	
04-856		<b>Disposable/Decon Breathing Tube Sleeve (pk 10)</b> <i>Breathing tube not included.</i>	
04-872		<b>Short Tychem® Breathing Tube Cover</b> <i>For backpack assembly, breathing tube not included.</i>	
04-874		<b>Short FR Breathing Tube Cover</b> <i>For backpack assembly, breathing tube not included.</i>	
04-875		<b>Short Aluminized Breathing Tube Cover</b> <i>For backpack assembly, breathing tube not included.</i>	
16-512		<b>Heat Resistant Velcro Fastener Kit</b>	
16-520-S		<b>Comfort-Fit Side Padding System</b>	
18-533		<b>Quiet-Link™ Helmet Mounted Earmuffs</b> <i>Includes 18-535 suspension bracket.</i>	ANSI S3.19
16-670		<b>Z-Link+® Weld Visor</b> <i>Includes 1/1 1/2 ADF Lens.</i>	ANSI Z87W
16-676		<b>Z-Link+® Weld Visor with Fixed Lens Frame</b> <i>Includes 16-674, 16-877 and 16-672, ADF lens not included.</i>	
16-724		<b>Aluminized Shoulder Cape</b>	
16-744		<b>Aluminized Top Cover</b>	
16-754		<b>Aluminized Rear Cover</b>	
16-901		<b>Vision-Link™ Helmet Light Kit*</b> <i>Includes 09-510-RAW, 16-918 and 15-839.</i>	
16-922		<b>Comms-Link™ In-Helmet Communication System* (Non IS)</b> - Includes 16-529 and 09-913. Radio adaptor sold separately - contact GVS-RPB for more information.	
18-535		<b>Quiet-Link™ Suspension Brackets</b>	

Z-Link Consumables

GVS Part #		Description	Certifications
04-831		<b>PAPR Breathing Tube</b>	
04-833		<b>SAR Breathing Tube</b>	
04-833A		<b>SAR Breathing Tube with Adaptor</b> <i>To fit Z-Link and T-Link.</i>	
04-841		<b>Short Breathing Tube</b> <i>For backpack assembly.</i>	
13-072-(1, 1.5, 2 or 2.5)		<b>Ultra Magnifying Lens</b> <i>Available in 1.0, 1.5, 2.0 and 2.5.</i>	
16-526		<b>Head Band Brow Pad</b>	
16-675-GT		<b>Radiant Heat Gold Visor - Clear - Replacement</b> <i>Includes Cover Clip and Retainer Assembly.</i>	ANSI Z87+
16-675-GTIR5		<b>Radiant Heat Gold Visor - IR5 - Replacement</b> <i>Includes Cover Clip and Retainer Assembly.</i>	ANSI Z87+
16-675-IR5		<b>IR5 Visor - Replacement</b> <i>Includes Cover Clip and Retainer Assembly.</i>	ANSI Z87+
16-810		<b>Safety Lens - Clear</b> <i>Anti-fog/anti scratch.</i>	ANSI Z87+
16-810-IR5		<b>Safety Lens - IR Tint, Shade 5</b> <i>Anti scratch.</i>	ANSI Z87+
16-810-MT		<b>Safety Lens - Mirror Tint</b> <i>Anti-fog/anti scratch.</i>	ANSI Z87+
16-810-ST		<b>Safety Lens - Smoke Tint</b> <i>Anti-fog/anti scratch.</i>	ANSI Z87+
16-810-YT		<b>Safety Lens - Yellow Tint</b> <i>Anti-fog/anti scratch.</i>	ANSI Z87+
16-811		<b>Tear-Off Lens (pk 50)</b>	
16-817		<b>Cassette Lens for Z-Link (pk 10)</b> <i>7 layers.</i>	
16-872		<b>Welding ADF/Fixed Shade Impact Lens (pk 10)</b>	
16-872-AL		<b>Welding ADF Impact Lens– Aluminium Coated</b> <i>Radiant heat.</i>	
16-873		<b>Welding ADF Rear Lens (pk 10)</b>	

\*Vision-Link™ and Comms-Link™ parts can be found on page 24-25.



# Z-Link® Respirator

Multi-purpose Respiratory Protection



Z-Link Consumables

GVS Part #		Description	Certifications
16-874		Protective Lens for Aluminium Coated Impact Lens (pk 10)	
16-877		110x90 Fixed Shade Welding Lens Adaptor Frame	
16-877-(5, 8, 9, 10, 11 or 12)		Fixed Shade Welding Lens <i>Available in shades 5, 8, 9, 10, 11 and 12.</i>	
16-878		Welding Fixed Shade Rear Lens (pk 10)	

Comms-Link™ Parts *Available for Z-Link®, T-Link® and Z4®*

GVS Part #		Description	Certifications
09-913		Push to Talk Button	
16-529		Communication Retainer Clip	
09-930		Motorola Connection Cable - <i>Two-pin.</i>	
09-931		Motorola Connection Cable - <i>Multi-pin.</i>	
09-932		Motorola Connection Cable - <i>Multi-pin.</i>	
09-933		Kenwood Connection Cable - <i>Two-pin.</i>	
09-934		Motorola Connection Cable - <i>Multi-pin.</i>	
09-935		Motorola Connection Cable - <i>Single-pin.</i>	

Vision-Link™ Parts *Available for Z-Link®, T-Link® and Z4®*

GVS Part #		Description	Certifications
09-050		Two Bay Battery Charger	
09-055		Lithium Ion Battery	
15-839		Jaw Mount - for Z-Link, Z4 <i>Screw not included.</i>	
16-910		LED Light Body Assembly <i>Battery and charger not included.</i>	
16-913		Rear Cowling	
16-915		Cowling Seal	
16-916		Protective Lens	
16-917		Latch	
16-918		Jaw Mount - for T-Link <i>Includes screw.</i>	
16-919		QR Latch Lever	
16-923		Hinge Pin	
16-926		Latch Lever Assembly <i>Includes 16-919.</i>	

Vision-Link™ Light (#16-910)

The Vision-Link light securely mounts to the chin of the Z-Link, illuminating your immediate workspace.



# Z-Link® Respirator

Multi-purpose Respiratory Protection



Z-Link Parts

GVS Part # / Description	GVS Part # / Description
1  16-514 Jaw Assembly - Includes screws and 16-515.	14  16-611 Visor
2  16-515 Lens Seal - For jaw assembly.	15  16-616 Pivot Assembly
-  16-516 Quiet-Link™ Earmuff Bracket - Pair, includes screws.	16  16-671 Z-Link+® Weld Visor - ADF lens not included.
-  16-518 Rear Cape Clip	17  16-672 Welding Lens Retainer
-  16-519 Air Inlet Adapter	18  16-673 Z-Link+® Weld Visor Attachment Clips and Springs
5  16-520-S Comfort-Fit Side Padding System	-  16-711 Zytec® FR Face Seal
6  16-520-T Fit System	-  16-712 Tychem® 2000 Face Seal
7  16-521 Impact Absorber	-  16-721 Zytec® FR Shoulder Cape
8  16-522 Comfort Pad	-  16-723 Tychem® 4000 Shoulder Cape
-  16-523 Air Director	-  16-724 Aluminized Shoulder Cape
9  16-525 Head Harness Bracket and Air Director	-  16-731 Zytec® FR Chin Seal
10  16-527 Comfort-Fit Side Padding Frames	23  16-871 RPB® ADF - ANSI Z87w, 1/1/2, CSA Z94.3-15.
11  16-528 Comfort-Fit Foam Pads - Pair.	24  16-875 Magnifying Lens Holder Assembly
12  16-530 Head Harness Ratchet Assembly	-  16-876 Clip for Weld Lens
13  16-531 Head Harness Assembly - Includes 16-530.	

