



Chemical protection

ULTRANITRIL 377

Prolonged contact (or immersion) | continuous wear



CHEMICAL PROTECTION
TYPE A



EN388

4122X



EN ISO 374-1

TYPE A
AJKOPT



EN407

X1XXXX

CAT. CATEGORY 3

DEXTERITY

EN 420:
5/5



0334

Comfort and reinforced mechanical resistance for long-lasting chemical protection

(SPECIFIC ADVANTAGES)

Cut protection

- A long cuff for a better protection of the forearm

Comfort

- Suitable for long-term wear; comfortable textile support, seamless working surfaces

Durability

- Optimised service life: high resistance to abrasion

Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

(INDUSTRIES)

- Automotive/mechanical industry
- Chemical industry
- Other industries

(APPLICATIONS)

- Heavy-duty packaging
- Industrial cleaning
- Print-press cleaning
- Automotive assembly
- Machine tool manufacture
- Surface treatment
- Chemical product blending
- Cleaning tanks
- Handling and transporting drums of chemical products
- Manipulating valves



Chemical protection

ULTRANITRIL 377

Prolonged contact (or immersion) | continuous wear

(LEGENDS)

EN388



MECHANICAL HAZARDS

PERFORMANCE LEVELS (X = NOT TESTED)

4	1	2	2	X	
0-4	0-5	0-4	0-4	A-F	P
					Impact protection (optional)
					Cut resistance according to ISO 13997
					Puncture resistance
					Tear resistance
					Blade cut resistance
					Abrasion resistance

EN407



THERMAL RISKS (HEAT AND FIRE)

PERFORMANCE LEVELS (X = NOT TESTED)

X	1	X	X	X	X
0-4	0-4	0-4	0-4	0-4	0-4
					Resistance to large quantities of molten metal
					Small splashes of molten metal
					Radiant heat resistant
					Convective heat resistance
					Contact heat resistance
					Limited flame spread

EN ISO 374-1



CHEMICAL RISKS

A: Methanol
 J: n-Heptane
 K: Sodium hydroxide 40%
 O: Ammonia 25%
 P: Hydrogen peroxide 30%
 T: Formaldehyde 37%

TYPE A

(PRODUCT DETAILS)

Interior finish	Textile support
Exterior finish	Smooth
Material	Nitrile
Cuff characteristic	Feston Cuff
Colours	Green
Length (cm)	38
Thickness (mm)	1.35
European sizes	8 9 10

(LOGISTIC DETAILS)

Packaging	1 pair/bag 5 pairs/box 50 pairs/carton
-----------	--

(LEGISLATION)

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/02/19/0480 updated 02-15/10/2021
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificate: 0334 - Asqual 14 rue des Reculettes -75013 Paris - France