



Chemical protection

# ULTRANITRIL 491

Frequent contact | intermittent wear



CHEMICAL PROTECTION  
TYPE A



3101X



TYPE A  
AJKOPT



EN ISO 374-5



ISO 18889

CAT. CATEGORY 3

DEXTERITY



0334

Good mechanical resistance and long-lasting chemical protection

## SPECIFIC ADVANTAGES

### Comfort

- Dexterity and comfort, due to the anatomical shape and the quality of the flock-lining

### Durability

- Longer service life: excellent mechanical resistance (abrasion, perforation)

### Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

## INDUSTRIES

- Automotive/mechanical industry
- Chemical industry
- Other industries
- Agriculture sector

## APPLICATIONS

- Application of pesticides
- Cleaning of printing-press rollers
- Maintenance
- Timber treatment and finishing
- Machining parts using cutting oil
- Treating/degreasing metals with solvents
- Manufacture and application of paints and varnishes
- Spray mixtures preparation
- Pesticides handling
- Tank filling



Chemical protection

# ULTRANITRIL 491

Frequent contact | intermittent wear

## ( LEGENDS )

EN388



### MECHANICAL HAZARDS

PERFORMANCE LEVELS (X = NOT TESTED)

<b>3</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>X</b>	
0-4	0-5	0-4	0-4	A-F	P
					Impact protection (optional)
					Cut resistance according to ISO 13997
					Puncture resistance
					Tear resistance
					Blade cut resistance
					Abrasion resistance

EN ISO 374-1



### CHEMICAL RISKS

A: Methanol  
J: n-Heptane  
K: Sodium hydroxide 40%  
O: Ammonia 25%  
P: Hydrogen peroxide 30%  
T: Formaldehyde 37%

TYPE A



### PROTECTION FROM PESTICIDES

G2: Diluted & concentrated pesticides / Mechanical risk

ISO 18889



EN ISO 374-5

### MICRO-ORGANISMS

Protection against bacteria, fungi and virus

VIRUS

## ( PRODUCT DETAILS )

Interior finish	Flocked
Exterior finish	Embossed texture
Material	Nitrile
Cuff characteristic	Straight cuff
Colours	Green
Length (cm)	37
Thickness (mm)	0.41
European sizes	6 7 8 9 10

## ( LOGISTIC DETAILS )

Packaging

10 pairs/bag  
50 pairs/carton

## ( LEGISLATION )

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/08/18/1631 ex 01/08/2018
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificate: 0334 - Asqual 14 rue des Reculettes -75013 Paris - France